

Freeform Search

Database:

 US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Term:

 (radio frequency) and (ring oscillator) and
 (temperature or thermal)

Display: 10 **Documents in Display Format:** - **Starting with Number** 1

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search
Clear
Interrupt

Search History

DATE: Tuesday, March 08, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

<u>L6</u>	(radio frequency) and (ring oscillator) and (temperature or thermal)	151	<u>L6</u>
<u>L5</u>	(radio frequency) same (ring oscillator) same (temperature or thermal)	1	<u>L5</u>
<u>L4</u>	L3 and "ring oscillator"	0	<u>L4</u>
<u>L3</u>	L1 and "radio"	69	<u>L3</u>
<u>L2</u>	L1 and (temperature or thermal)	34	<u>L2</u>
<u>L1</u>	generat\$3 reference oscillati\$3	156	<u>L1</u>

END OF SEARCH HISTORY

Searches for User *gverbitsky* (Count = 30205)

Queries 30156 through 30205.

Find

S #	Updt	Database	Query
<u>S30205</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(radio frequency) and (ring oscillator) an
<u>S30204</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(radio frequency) same (ring oscillator) s
<u>S30203</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	generat\$3 reference oscillati\$3 and "radi
<u>S30202</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	generat\$3 reference oscillati\$3 and "radi
<u>S30201</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	generat\$3 reference oscillati\$3 and (tem
<u>S30200</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	generat\$3 reference oscillati\$3
<u>S30199</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(ring oscillator) same (reference tempera room temperature or standard temperatu
<u>S30198</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	rature or standard temperature(ring oscill temperature) same (frequency)
<u>S30197</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(ring oscillator) same (reference tempera
<u>S30196</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/1,170,171,163;702/99,130,133;716, [CCLS] and "ring oscillator" and (tempe
<u>S30195</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(calibrat\$3 or reference signal or referen (374/1,170,171,163;702/99,130,133;716, [CCLS] and "ring oscillator" and (tempe
<u>S30194</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/1,170,171,163;702/99,130,133;716,

			[CCLS] and "ring oscillator"
<u>S30193</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB	(374/1,170,171,163;702/99,130,133;716. [CCLS]
<u>S30192</u>	<u>U</u>	PGPB	20030158683
<u>S30191</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/\$ and "oscillator" and "douglass"
<u>S30190</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/\$ and "oscillator"
<u>S30189</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/\$ and "ring oscillator"
<u>S30188</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	374/\$
<u>S30187</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	oscillat\$3 correspond\$3 reference or osc
<u>S30186</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	oscillat\$4 signal correspond\$3 reference
<u>S30185</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	ocsillat\$4 signal correspond\$3 reference
<u>S30184</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	331/57 and "ring oscillator" and (temper: (calibrat\$3 or reference or standard) and count)
<u>S30183</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	331/57 and "ring oscillator" and (temper: (calibrat\$3 or reference or standard)
<u>S30182</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	331/57 and "ring oscillator" and (temper:
<u>S30181</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	331/57 and "ring oscillator"
<u>S30180</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	331/57
<u>S30179</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(ring oscillator) same (temperature) and
<u>S30178</u>	<u>U</u>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(ring oscilator) same (calibrat\$3 or comp